

Supporting Information

Analysis of photo-irradiated water accommodated fractions of crude oils using tandem TIMS and FT-ICR MS

Paolo Benigni¹, Kathia Sandoval¹, Christopher J. Thompson², Mark E. Ridgeway², Melvin A. Park², Piero Gardinali^{1,3}, and Francisco Fernandez-Lima^{1,4}

¹*Department of Chemistry and Biochemistry, Florida International University, Miami, FL 33199, USA.*

²*Bruker Daltonics, Inc., Billerica, Massachusetts 01821, USA*

³*Southeast Environmental Research Center, Florida International University, Miami, Florida 33199, USA*

⁴*Biomolecular Sciences Institute, Florida International University, Miami, FL 33199*

Contents

- S1. Cover pager
- S2. Figure S1. Schematic of the TIMS
- S3. Figure S2. Carbon number vs DBE plot for the O₀₋₃ chemical classes for the three different experimental time points.
- S4. Figure S3 Carbon number vs DBE plot for the O₄₋₅ chemical classes for the three different experimental time points.
- S5. Figure S4. Carbon number vs DBE plot for the N₁O₀₋₃ chemical classes for the three different experimental time points.

Figure S1. Schematic of the TIMS




Figure S2. Carbon number vs DBE plot for the O_{0-3} chemical classes for the three different experimental time points.




Figure S3 Carbon number vs DBE plot for the O₄₋₅ chemical classes for the three different experimental time points.




Figure S4. Carbon number vs DBE plot for the N_1O_{0-3} chemical classes for the three different experimental time points.

